

WHAT IS CLAIMED IS:

1. A biodegradable resin composition comprising:  
a biodegradable resin; and  
a filler coated with a biodegradable coating resin.
2. A biodegradable resin composition according to Claim 1,  
wherein the biodegradable resin and the biodegradable coating  
resin are one of identical type of resins to and different types of  
resins.
3. A biodegradable resin composition according to Claim 1,  
wherein the filler is at least one of mica, talc and montmorillonite.
4. A biodegradable resin composition according to Claim 1,  
wherein a content of the filler is 5% by weight to 50% by weight  
relative to the biodegradable resin composition.
5. A biodegradable resin composition according to Claim 1,  
wherein an average particle diameter of the filler is within the range  
of 0.01 $\mu$ m to 200 $\mu$ m.
6. A biodegradable resin composition according to Claim 1,  
wherein the biodegradable resin is an aliphatic polyester resin.

7. A biodegradable resin composition according to Claim 6, wherein the aliphatic polyester resin is polyhydroxycarboxylic acid.
8. A biodegradable resin composition according to Claim 7, wherein the polyhydroxycarboxylic acid is polylactic acid.
9. A biodegradable resin composition according to Claim 1, wherein the biodegradable resin comprises two or more types of biodegradable resins.
10. A biodegradable resin composition according to Claim 1, further comprising at least one type of flame retardant selected from silicone compound, metal salt, metal salt hydroxide and phosphorous compound.
11. A biodegradable resin composition according to Claim 1, further comprising at least one type of fibrous component selected from hemp, chitin-chitosan, palm fiber and one of short fiber and powder derivated therefrom.
12. A biodegradable resin composition according to Claim 1, further comprising at least one type of fibrous component selected from glass fiber and carbon fiber.
13. A biodegradable resin composition according to Claim 1,

wherein the biodegradable resin comprises polylactic acid and one of polycaprolacton, polyhydroxybutyrate and polybutylene succirate.

14. A filler for a biodegradable resin composition, comprising:  
a filler; and  
a biodegradable coating resin,  
wherein the filler is coated with the biodegradable coating resin.

15. A filler for a biodegradable resin composition according to Claim 14, wherein the filler is at least one of mica, talc and montmorillonite.

16. A filler for a biodegradable resin composition according to Claim 14, wherein an average particle diameter of the filler is within the range of 0.01 $\mu$ m to 200 $\mu$ m.

17. A filler for a biodegradable resin composition according to Claim 14, wherein the biodegradable coating resin is an aliphatic polyester resin.

18. A filler for a biodegradable resin composition according to Claim 17, wherein the aliphatic polyester resin is polyhydroxycarboxylic acid.

19. A molded article comprising, a biodegradable resin composition containing a biodegradable resin, and a filler coated with a biodegradable coating resin.

20. A molded article according to Claim 19, wherein the molded article is used for a housing of electric product.